

# PULSE

signature series 

AA & FC  
page 1 of 3

## Pulse-AA Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
PU-C-AA	CHAIR WITH ARCHED ARMS	30	30	26	34	21	20.5	19	84
PU-L-AA	LOVESEAT WITH ARCHED ARMS	51.5	30	26	34	42	20.5	19	94
PU-S-AA	SOFA WITH ARCHED ARMS	73	30	26	34	63	20.5	19	114
PU-S1-AA	SINGLE-SEAT UNIT-ARCHED ARMS	25.5	31	26	34	21	20.5	19	50
PU-S2-AA	DOUBLE-SEAT UNIT-ARCHED ARMS	56.5	31	26	34	42	20.5	19	60
PU-S3-AA	TRIPLE-SEAT UNIT-ARCHED ARMS	67.5	31	26	34	63	20.5	19	80
PU-CA-AA	CENTER ARM-ARCHED ARM	4.5	31	26	-	-	-	-	15
PU-LA-AA	LEFT ARM-ARCHED ARM	4.5	31	26	-	-	-	-	17
PU-LT-AA	LEFT TABLE ARM-ARCHED ARM	4.5	31	26	-	-	-	-	20
PU-RA-AA	RIGHT ARM-ARCHED ARM	4.5	31	26	-	-	-	-	17
PU-RT-AA	RIGHT TABLE ARM-ARCHED ARM	4.5	31	26	-	-	-	-	20
PU-CT	CORNER TABLE	25	25	-	-	-	-	-	-
PU-ST	SPANNER TABLE	21	25	-	-	-	-	-	-

## Pulse-FC Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
PU-C-FC	CHAIR WITH FLAT-CAPPED ARMS	30	30	25	34	21	20.5	19	87
PU-L-FC	LOVESEAT-FLAT-CAPPED ARMS	51.5	30	25	34	42	20.5	19	97
PU-S-FC	SOFA WITH FLAT-CAPPED ARMS	73	30	25	34	63	20.5	19	114
PU-S1-FC	SINGLE-SEAT-FLAT-CAPPED ARMS	25.5	31	25	34	21	20.5	19	50
PU-S2-FC	DOUBLE-SEAT-FLAT-CAPPED ARMS	56.5	31	25	34	42	20.5	19	60
PU-S3-FC	TRIPLE-SEAT-FLAT-CAPPED ARMS	67.5	31	25	34	63	20.5	19	77
PU-CA-FC	CENTER ARM-FLAT-CAPPED ARM	4.5	31	25	-	-	-	-	16.5
PU-LA-FC	LEFT ARM-FLAT-CAPPED ARM	4.5	31	25	-	-	-	-	18.5
PU-LT-FC	LEFT TABLE ARM-FLAT-CAP. ARM	4.5	31	25	-	-	-	-	21.5
PU-RA-FC	RIGHT ARM-FLAT-CAPPED ARM	4.5	31	25	-	-	-	-	18.5
PU-RT-FC	RIGHT TABLE ARM-FLAT-CAP. ARM	4.5	31	25	-	-	-	-	21.5
PU-CT	CORNER TABLE	25	25	-	-	-	-	-	-
PU-ST	SPANNER TABLE	21	25	-	-	-	-	-	-

W = Width; D = Depth; AH = Arm Height; BH = Back Height; SW = Seat Width; SD = Seat Depth; SH = Seat Height; WT = Weight

v071523

# PULSE

signature series 

**RA & SA**  
page 2 of 3

## Pulse-RA Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
PU-C-RA	CHAIR WITH ROUNDED ARM	30	30	24	34	21	20.5	19	84
PU-L-RA	LOVESEAT WITH ROUNDED ARM	51.5	30	24	34	42	20.5	19	94
PU-S-RA	SOFA WITH ROUNDED ARM	73	30	24	34	63	20.5	19	111
PU-S1-RA	SINGLE-SEAT UNIT-ROUNDED ARM	25.5	31	24	34	21	20.5	19	50
PU-S2-RA	DOUBLE-SEAT UNIT-ROUNDED ARM	56.5	31	24	34	42	20.5	19	60
PU-S3-RA	TRIPLE-SEAT UNIT-ROUNDED ARM	67.5	31	24	34	63	20.5	19	77
PU-CA-RA	CENTER ARM-ROUNDED ARM	4.5	31	24	-	-	-	-	15
PU-LA-RA	LEFT ARM-ROUNDED ARM	4.5	31	24	-	-	-	-	17
PU-LT-RA	LEFT TABLE ARM-ROUNDED ARM	4.5	31	24	-	-	-	-	20
PU-RA-RA	RIGHT ARM-ROUNDED ARM	4.5	31	24	-	-	-	-	17
PU-RT-RA	RIGHT TABLE ARM-ROUNDED ARM	4.5	31	24	-	-	-	-	20
PU-CT	CORNER TABLE	25	25	-	-	-	-	-	-
PU-ST	SPANNER TABLE	21	25	-	-	-	-	-	-

## Pulse-SA Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
PU-C-SA	CHAIR WITH STRAIGHT ARMS	30.5	31	24	34	21	20.5	19	84
PU-L-SA	LOVESEAT WITH STRAIGHT ARMS	51.5	31	24	34	42	20.5	19	94
PU-S-SA	SOFA WITH STRAIGHT ARMS	72.5	31	24	34	63	20.5	19	111
PU-S1-SA	SINGLE-SEAT-STRAIGHT ARMS	25.5	31	24	34	21	20.5	19	50
PU-S2-SA	DOUBLE-SEAT-STRAIGHT ARMS	56.5	31	24	34	42	20.5	19	60
PU-S3-SA	TRIPLE-SEAT-STRAIGHT ARMS	67.5	31	24	34	63	20.5	19	77
PU-CA-SA	CENTER ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	15
PU-LA-SA	LEFT ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	17
PU-LT-SA	LEFT TABLE ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	20
PU-RA-SA	RIGHT ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	17
PU-RT-SA	RIGHT TABLE ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	20
PU-CT	CORNER TABLE	25	25	-	-	-	-	-	-
PU-ST	SPANNER TABLE	21	25	-	-	-	-	-	-

v071523

# PULSE

signature series **S**

AA, FC, RA, SA  
page 3 of 3

## Pulse Specifications

### BACK

The back frame is constructed with 7/8" engineered paneling with the support system constructed of 11-gauge sinuous wire linked together with a 12-gauge tie wire. The back support system is covered with woven material and high-density polymeric foam. The outside back of the frame is covered with woven material and an additional piece of high-density polymeric foam. The back frame is secured to the base frame utilizing a patented interlocking frame construction. The back is secured using metal-to-metal connections.

### BASE

The base frame is constructed of 7/8" engineered paneling with support system constructed of 8-gauge sinuous wire linked together with 12-gauge tie wire. Legs are attached with steel bolts. Legs use plastic non-marking glides.

### SEAT

Seat cushions are constructed of high-density, polymeric foam. Seat cushions are secured to the base frame with a nylon security strap.

### ARM

Arm frames are constructed of 7/8" engineered paneling. The frames are covered utilizing 80-point chipboard and high-density polymeric foam. The arm frame is secured to the base frame utilizing a patented interlocking frame construction. The arm is secured using metal-to-metal connections.

### UPHOLSTERY

All upholstery offerings conform to California Technical Bulletin 117 fire code standard. All estimated yardage quotes are based on 54" non-matched, solid color material unless otherwise specified. Additional yardage and matching fees may apply.

### MOISTURE BARRIER

Foam is wrapped with laminated, polyurethane, moisture-barrier.

### ASSEMBLY AND DISASSEMBLY

All components can be disassembled and removed by loosening the thumbscrew and sliding the components out of the interlocking state. Assembly can be completed within minutes. Upholstery fastens with hook and loop, facilitating removal and replacement of covers.

### WARRANTY

This product is warranted against defects in materials and workmanship and against structural damage occurred through normal use for 35-years from date of purchase. Foam is also covered under the 35-year period while fabric is generally covered under the fabric company's warranty. Transformations does not warrant any materials beyond its control.

### upgrade options

CUSTOM EMBROIDERED LOGOS  
TABLET ARM  
*Available on FC and SA arm styles only.*

CAL 133

### foot options

*Your choice of foot options may change the Arm Height, Back Height, and Seat Height dimensions.*



\*TC23



PG40



TF08

\*Adding Casters to this product is an upgrade

v071523

