

PULSE

BARIATRIC



v100125

Amp up your space.

You know those high traffic areas that also need to serve as a stopover spot for collaborating with coworkers or fellow students? That's the perfect setting for the Pulse—bustling and versatile. The Pulse collection includes single and multi-seat options as well as modular groups and even a bariatric chair for more spacious comfort. Its simple, clean lines and durable construction also make this chair a good fit for dorms and therapy rooms.




Looking to do a whole room?


Meet the Pulse Bariatric family.




PU-BC-AA
BARIATRIC CHAIR
ARCHED ARM



PU-BC-FC
BARIATRIC CHAIR
FLAT-CAPPED ARM



PU-BC-RA
BARIATRIC CHAIR
ROUNDED ARM



PU-BC-SA
BARIATRIC CHAIR
STRAIGHT ARM

PULSE BARIATRIC ARCHED ARM COMPONENTS

PU-CT
CORNER TABLE
25" W X 25" D

PU-ST
SPANNER TABLE
21" W X 25" D

PU-BC-AA
BARIATRIC CHAIR
37.5" W X 32.5" D X 34" H

PU-BS1-AA
BAR. SINGLE-SEAT UNIT
32.5" W X 32.5" D X 34" H

PU-BCA-AA
BARIATRIC CENTER ARM
4.5" W X 32.5" D X 26" H

PU-BLA-AA
BARIATRIC LEFT ARM
4.5" W X 32.5" D X 26" H

PU-BLT-AA
BAR. LEFT TABLE ARM
4.5" W X 32.5" D X 26" H

PU-BRA-AA
BARIATRIC RIGHT ARM
4.5" W X 32.5" D X 26" H

PU-BRT-AA
BAR. RIGHT TABLE ARM
4.5" W X 32.5" D X 26" H

PU-CA-AA
CENTER ARM
4.5" W X 31" D X 26" H

PU-LA-AA
LEFT ARM
4.5" W X 31" D X 26" H

PU-LT-AA
LEFT TABLE ARM
4.5" W X 31" D X 26" H

PU-RA-AA
RIGHT ARM
4.5" W X 31" D X 26" H

PU-RT-AA
RIGHT TABLE ARM
4.5" W X 31" D X 26" H

PULSE BARIATRIC FLAT-CAPPED ARM COMPONENTS

PU-CT
CORNER TABLE
25" W X 25" D

PU-ST
SPANNER TABLE
21" W X 25" D

PU-BC-FC
BARIATRIC CHAIR
37.5" W X 32.5" D X 34" H

PU-BS1-FC
BAR. SINGLE-SEAT UNIT
32.5" W X 32.5" D X 34" H

PU-BCA-FC
BARIATRIC CENTER ARM
4.5" W X 32.5" D X 25" H

PU-BLA-FC
BARIATRIC LEFT ARM
4.5" W X 32.5" D X 25" H

PU-BLT-FC
BAR. LEFT TABLE ARM
4.5" W X 32.5" D X 25" H

PU-BRA-FC
BARIATRIC RIGHT ARM
4.5" W X 32.5" D X 25" H

PU-BRT-FC
BAR. RIGHT TABLE ARM
4.5" W X 32.5" D X 25" H

PU-CA-FC
CENTER ARM
4.5" W X 31" D X 25" H

PU-LA-FC
LEFT ARM
4.5" W X 31" D X 25" H

PU-LT-FC
LEFT TABLE ARM
4.5" W X 31" D X 25" H

PU-RA-FC
RIGHT ARM
4.5" W X 31" D X 25" H

PU-RT-FC
RIGHT TABLE ARM
4.5" W X 31" D X 25" H

PULSE BARIATRIC ROUNDED ARM COMPONENTS

PU-CT
CORNER TABLE
25" W X 25" D

PU-ST
SPANNER TABLE
21" W X 25" D

PU-BC-RA
BARIATRIC CHAIR
37.5" W X 32.5" D X 34" H

PU-BS1-RA
BAR. SINGLE-SEAT UNIT
32.5" W X 32.5" D X 34" H

PU-BCA-RA
BARIATRIC CENTER ARM
4.5" W X 32.5" D X 24" H

PU-BLA-RA
BARIATRIC LEFT ARM
4.5" W X 32.5" D X 24" H

PU-BLT-RA
BAR. LEFT TABLE ARM
4.5" W X 32.5" D X 24" H

PU-BRA-RA
BARIATRIC RIGHT ARM
4.5" W X 32.5" D X 24" H

PU-BRT-RA
BAR. RIGHT TABLE ARM
4.5" W X 32.5" D X 24" H

PU-CA-RA
CENTER ARM
4.5" W X 31" D X 24" H

PU-LA-RA
LEFT ARM
4.5" W X 31" D X 24" H

PU-LT-RA
LEFT TABLE ARM
4.5" W X 31" D X 24" H

PU-RA-RA
RIGHT ARM
4.5" W X 31" D X 24" H

PU-RT-RA
RIGHT TABLE ARM
4.5" W X 31" D X 24" H

PULSE BARIATRIC STRAIGHT ARM COMPONENTS

PU-CT
CORNER TABLE
25" W X 25" D

PU-ST
SPANNER TABLE
21" W X 25" D

PU-BC-SA
BARIATRIC CHAIR
37.5" W X 32.5" D X 34" H

PU-BS1-SA
BAR. SINGLE-SEAT UNIT
32.5" W X 32.5" D X 34" H

PU-BCA-SA
BARIATRIC CENTER ARM
4.5" W X 32.5" D X 24" H

PU-BLA-SA
BARIATRIC LEFT ARM
4.5" W X 32.5" D X 24" H

PU-BLT-SA
BAR. LEFT TABLE ARM
4.5" W X 32.5" D X 24" H

PU-BRA-SA
BARIATRIC RIGHT ARM
4.5" W X 32.5" D X 24" H

PU-BRT-SA
BAR. RIGHT TABLE ARM
4.5" W X 32.5" D X 24" H

PU-CA-SA
CENTER ARM
4.5" W X 31" D X 24" H

PU-LA-SA
LEFT ARM
4.5" W X 31" D X 24" H

PU-LT-SA
LEFT TABLE ARM
4.5" W X 31" D X 24" H

PU-RA-SA
RIGHT ARM
4.5" W X 31" D X 24" H

PU-RT-SA
RIGHT TABLE ARM
4.5" W X 31" D X 24" H

TABLET ARM UPGRADE OPTION
(AVAILABLE ON FC AND SA ARM STYLES ONLY)

Custom Embroidered Logos and Brands can be
added to any upholstered Transformations Product.



PULSE

signature series 

BARIATRIC AA & FC

page 1 of 3

Pulse-AA Bariatric Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
PU-BC-AA	BARIATRIC CHAIR-ARCHED ARM	37.5	32.5	26	34	28	22	19	105
PU-BS1-AA	BAR. SINGLE-SEAT-ARCHED ARM	32.5	32.5	26	34	28	22	19	65
PU-BCA-AA	BAR. CENTER ARM-ARCHED ARM	4.5	32.5	26	-	-	-	-	17
PU-BLA-AA	BAR. LEFT ARM-ARCHED ARM	4.5	32.5	26	-	-	-	-	20
PU-BLT-AA	BAR. LEFT TBL. ARM-ARCHED ARM	4.5	32.5	26	-	-	-	-	23
PU-BRA-AA	BAR. RIGHT ARM-ARCHED ARM	4.5	32.5	26	-	-	-	-	20
PU-BRT-AA	BAR. RIGHT TBL. ARM -ARCH. ARM	4.5	32.5	26	-	-	-	-	23
PU-CA-AA	CENTER ARM-ARCHED ARM	4.5	31	26	-	-	-	-	15
PU-LA-AA	LEFT ARM-ARCHED ARM	4.5	31	26	-	-	-	-	17
PU-LT-AA	LEFT TABLE ARM-ARCHED ARM	4.5	31	26	-	-	-	-	20
PU-RA-AA	RIGHT ARM-ARCHED ARM	4.5	31	26	-	-	-	-	17
PU-RT-AA	RIGHT TABLE ARM-ARCHED ARM	4.5	31	26	-	-	-	-	20
PU-CT	CORNER TABLE	25	25	-	-	-	-	-	-
PU-ST	SPANNER TABLE	21	25	-	-	-	-	-	-

Pulse-FC Bariatric Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
PU-BC-FC	BARIATRIC CHAIR-FLAT-CAPPED	37.5	32.5	25	34	28	22	19	109
PU-BS1-FC	BAR. SINGLE-SEAT-FLAT-CAPPED	32.5	32.5	25	34	28	22	19	65
PU-BCA-FC	BAR. CENTER ARM-FLAT-CAPPED	4.5	32.5	25	-	-	-	-	20
PU-BLA-FC	BAR. LEFT ARM-FLAT-CAPPED	4.5	32.5	25	-	-	-	-	22
PU-BLT-FC	BAR. LEFT TBL. ARM-FLAT-CAPPED	4.5	32.5	25	-	-	-	-	24
PU-BRA-FC	BAR. RIGHT ARM-FLAT-CAPPED	4.5	32.5	25	-	-	-	-	22
PU-BRT-FC	BAR. RIGHT TBL. ARM -FLAT-CAP.	4.5	32.5	25	-	-	-	-	24
PU-CA-FC	CENTER ARM-FLAT-CAPPED	4.5	31	25	-	-	-	-	16.5
PU-LA-FC	LEFT ARM-FLAT-CAPPED	4.5	31	25	-	-	-	-	18.5
PU-LT-FC	LEFT TABLE ARM-FLAT-CAPPED	4.5	31	25	-	-	-	-	21.5
PU-RA-FC	RIGHT ARM-FLAT-CAPPED	4.5	31	25	-	-	-	-	18.5
PU-RT-FC	RIGHT TABLE ARM-FLAT-CAPPED	4.5	31	25	-	-	-	-	21.5
PU-CT	CORNER TABLE	25	25	-	-	-	-	-	-
PU-ST	SPANNER TABLE	21	25	-	-	-	-	-	-

W = Width; D = Depth; AH = Arm Height; BH = Back Height; SW = Seat Width; SD = Seat Depth; SH = Seat Height; WT = Weight



PULSE

signature series 

BARIATRIC RA & SA

page 2 of 3

Pulse-RA Bariatric Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
PU-BC-RA	BARIATRIC CHAIR-ROUND ARM	37.5	32.5	24	34	28	22	19	105
PU-BS1-RA	BAR. SINGLE-SEAT-ROUND ARM	32.5	32.5	24	34	28	22	19	65
PU-BCA-RA	BAR. CENTER ARM-ROUND ARM	4.5	32.5	24	-	-	-	-	17
PU-BLA-RA	BAR. LEFT ARM-ROUND ARM	4.5	32.5	24	-	-	-	-	20
PU-BLT-RA	BAR. LEFT TBL. ARM-ROUND ARM	4.5	32.5	24	-	-	-	-	23
PU-BRA-RA	BAR. RIGHT ARM-ROUND ARM	4.5	32.5	24	-	-	-	-	20
PU-BRT-RA	BAR. RIGHT TBL. ARM-ROUND ARM	4.5	32.5	24	-	-	-	-	23
PU-CA-RA	CENTER ARM-ROUND ARM	4.5	31	24	-	-	-	-	15
PU-LA-RA	LEFT ARM-ROUND ARM	4.5	31	24	-	-	-	-	17
PU-LT-RA	LEFT TABLE ARM-ROUND ARM	4.5	31	24	-	-	-	-	20
PU-RA-RA	RIGHT ARM-ROUND ARM	4.5	31	24	-	-	-	-	17
PU-RT-RA	RIGHT TABLE ARM-ROUND ARM	4.5	31	24	-	-	-	-	20
PU-CT	CORNER TABLE	25	25	-	-	-	-	-	NA
PU-ST	SPANNER TABLE	21	25	-	-	-	-	-	NA

Pulse-SA Bariatric Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
PU-BC-SA	BARIATRIC CHAIR-STRAIGHT ARM	37.5	32.5	24	34	28	22	19	105
PU-BS1-SA	BAR. SINGLE-SEAT-STRAIGHT ARM	32.5	32.5	24	34	28	22	19	65
PU-BCA-SA	BAR. CENTER ARM-STRAIGHT ARM	4.5	32.5	24	-	-	-	-	17
PU-BLA-SA	BAR. LEFT ARM-STRAIGHT ARM	4.5	32.5	24	-	-	-	-	20
PU-BLT-SA	BAR. LEFT TBL. ARM-STRAIGHT ARM	4.5	32.5	24	-	-	-	-	23
PU-BRA-SA	BAR. RIGHT ARM-STRAIGHT ARM	4.5	32.5	24	-	-	-	-	20
PU-BRT-SA	BAR. RT. TBL. ARM-STRAIGHT ARM	4.5	32.5	24	-	-	-	-	23
PU-CA-SA	CENTER ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	15
PU-LA-SA	LEFT ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	17
PU-LT-SA	LEFT TABLE ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	20
PU-RA-SA	RIGHT ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	17
PU-RT-SA	RIGHT TBL. ARM-STRAIGHT ARM	4.5	31	24	-	-	-	-	20
PU-CT	CORNER TABLE	25	25	-	-	-	-	-	NA
PU-ST	SPANNER TABLE	21	25	-	-	-	-	-	NA

W = Width; D = Depth; AH = Arm Height; BH = Back Height; SW = Seat Width; SD = Seat Depth; SH = Seat Height; WT = Weight



PULSE

signature series 

BARIATRIC AA, FC, RA, SA

page 3 of 3

Pulse- AA, FC, RA, SA Bariatric Specifications

BACK

The back frame is constructed with 7/8" engineered paneling with the support system constructed of 11-gauge sinuous wire linked together with a 12-gauge tie wire. The back support system is covered with woven material and high-density polymeric foam. The outside back of the frame is covered with woven material and an additional piece of high-density polymeric foam. The back frame is secured to the base frame utilizing a patented interlocking frame construction. The back is secured using metal-to-metal connections.

BASE

The base frame is constructed of 7/8" engineered paneling with support system constructed of 8-gauge sinuous wire linked together with 12-gauge tie wire. Legs are attached with steel bolts. Legs use plastic non-marking glides.

SEAT

Seat cushions are constructed of high-density, polymeric foam. Seat cushions are secured to the base frame with a nylon security strap.

ARM

Arm frames are constructed of 7/8" engineered paneling. The frames are covered utilizing 80-point chipboard and high-density polymeric foam. The arm frame is secured to the base frame utilizing a patented interlocking frame construction. The arm is secured using metal-to-metal connections.

UPHOLSTERY

All upholstery offerings conform to California Technical Bulletin 117 fire code standard. All estimated yardage quotes are based on 54" non-matched, solid color material unless otherwise specified. Additional yardage and matching fees may apply.

MOISTURE BARRIER

Foam is wrapped with laminated, polyurethane, moisture-barrier.

ASSEMBLY AND DISASSEMBLY

All components can be disassembled and removed by loosening the thumbscrew and sliding the components out of the interlocking state. Assembly can be completed within minutes. Upholstery fastens with hook and loop, facilitating removal and replacement of covers.

WARRANTY

This product is warranted against defects in materials and workmanship and against structural damage occurred through normal use for 35-years from date of purchase. Foam is also covered under the 35-year period while fabric is generally covered under the fabric company's warranty. Transformations does not warrant any materials beyond its control.

upgrade options

CUSTOM EMBROIDERED LOGOS

TABLET ARM

Available on FC and SA Arm Styles Only

CAL 133

foot options

Your choice of foot options may change the Arm Height, Back Height, and Seat Height dimensions.



PG40



TF08



*TC25

*TC26

TC26 is a Lockable Caster

**Adding Casters to this product is an upgrade.*

