

KENDRIK

KENDRIK SECTIONALS



v070426

Bringing people together.

Crafted for unlimited modular design, the Kendrik can easily help solve your seating arrangement issues with options ranging from chairs, loveseats, and sofas to extended sectionals. Have a long, narrow space to fill? Want arms on your sofa but not your chair? No problem. The Kendrik is built to suit your specific needs.



KENDRIK SECTIONALS

Looking to do a whole room?

Possible arrangements for Kendrick Sectionals are endless. If you want to get creative, our Design Services team can help. Give us a call.



KR-S1
SINGLE-SEAT ARMLESS UNIT
25" W X 35" D X 34" H



KR-S2
DOUBLE-SEAT ARMLESS UNIT
50" W X 35" D X 34" H



KR-S3
TRIPLE-SEAT ARMLESS UNIT
75" W X 35" D X 34" H



KR-S1-LFA
SINGLE-SEAT WITH
LEFT FLARED ARM
30.5" W X 35" D X 34" H

ALSO AVAILABLE WITH
FLARED OR STRAIGHT ARMS



KR-S1-RSA
SINGLE-SEAT WITH
RIGHT STRAIGHT ARM
30" W X 35" D X 34" H



KR-CNR
CORNER-SEAT UNIT
36" W X 35" D X 34" H

CODE	W	D	H
KR-S1	25	35	34
KR-S1-LFA	30.5	35	34
KR-S1-RFA	30.5	35	34
KR-S1-LSA	30	35	34
KR-S1-RSA	30	35	34
KR-S2	50	35	34
KR-S2-LFA	55.5	35	34
KR-S2-RFA	55.5	35	34
KR-S2-LSA	55	35	34
KR-S2-RSA	55	35	34
KR-S3	75	35	34
KR-S3-LFA	80.5	35	34
KR-S3-RFA	80.5	35	34
KR-S3-LSA	80	35	34
KR-S3-RSA	80	35	34
KR-CNR	36	35	34
KR-CO	29	35	18
KR-O	24	24	18




KR-CO
OTTOMAN (CHAISE)
29" W X 35" D X 18" H



KR-O
OTTOMAN (STANDARD)
24" W X 24" D X 18" H

v070426

Custom Embroidered Logos and Brands can be added to any upholstered Transformations Product.



KENDRIK

foundations series **F**

FA & SA

page 1 of 2

Kendrik-FA Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
KR-C-FA	CHAIR WITH FLARED ARMS	36	35	26	34	25	24	18	99
KR-S1	SINGLE-SEAT ARMLESS UNIT	25	35	-	34	25	24	18	60
KR-S1-LFA	SINGLE-SEAT-LEFT FLARED ARM	30.5	35	26	34	25	24	18	75
KR-S1-RFA	SINGLE-SEAT-RIGHT FLARED ARM	30.5	35	26	34	25	24	18	75
KR-L-FA	LOVE SEAT WITH FLARED ARMS	61	35	26	34	50	24	18	120
KR-S2	DOUBLE-SEAT ARMLESS UNIT	50	35	-	34	50	24	18	90
KR-S2-LFA	DOUBLE-SEAT-LEFT FLARED ARM	55.5	35	26	34	50	24	18	105
KR-S2-RFA	DOUBLE-SEAT-RIGHT FLARED ARM	55.5	35	26	34	50	24	18	105
KR-S-FA	SOFA WITH FLARED ARMS	86	35	26	34	75	24	18	160
KR-S3	TRIPLE-SEAT ARMLESS UNIT	75	35	-	34	75	24	18	130
KR-S3-LFA	TRIPLE-SEAT-LEFT FLARED ARM	80.5	35	26	34	75	24	18	145
KR-S3-RFA	TRIPLE-SEAT-RIGHT FLARED ARM	80.5	35	26	34	75	24	18	145
KR-CNR	CORNER-SEAT UNIT	36	35	-	34	25	24	18	95
KR-O	OTTOMAN (STANDARD)	24	24	-	-	-	-	18	30
KR-CO	OTTOMAN (CHAISE)	29	35	-	-	-	-	18	35

Kendrik-SA Specifications

CODE	ITEM	W	D	AH	BH	SW	SD	SH	WT
KR-C-SA	CHAIR WITH STRAIGHT ARMS	35	35	26	34	25	24	18	92
KR-S1	SINGLE-SEAT ARMLESS UNIT	25	35	-	34	25	24	18	60
KR-S1-LSA	SINGLE-SEAT-LEFT STRAIGHT ARM	30	35	-	34	25	24	18	76
KR-S1-RSA	SINGLE-SEAT-RIGHT STRAIGHT ARM	30	35	-	34	25	24	18	76
KR-L-SA	LOVE SEAT WITH STRAIGHT ARMS	60	35	26	34	50	24	18	122
KR-S2	DOUBLE-SEAT ARMLESS UNIT	50	35	-	34	50	24	18	90
KR-S2-LSA	DOUBLE-SEAT-LEFT STRAIGHT ARM	55	35	26	34	50	24	18	106
KR-S2-RSA	DOUBLE-SEAT-RIGHT STRAIGHT ARM	55	35	26	34	50	24	18	106
KR-S-SA	SOFA WITH STRAIGHT ARMS	85	35	26	34	75	24	18	162
KR-S3	TRIPLE-SEAT ARMLESS UNIT	75	35	-	34	75	24	18	130
KR-S3-LSA	TRIPLE-SEAT-LEFT STRAIGHT ARM	80	35	26	34	75	24	18	146
KR-S3-RSA	TRIPLE-SEAT-RIGHT STRAIGHT ARM	80	35	26	34	75	24	18	146
KR-CNR	CORNER-SEAT UNIT	36	35	-	34	25	24	18	95
KR-O	OTTOMAN (STANDARD)	24	24	-	-	-	-	18	30
KR-CO	OTTOMAN (CHAISE)	29	35	-	-	-	-	18	35

W = Width; D = Depth; AH = Arm Height; BH = Back Height; SW = Seat Width; SD = Seat Depth; SH = Seat Height; WT = Weight

v070426

KENDRIK

foundations series **F**

FA & SA

page 2 of 2

Kendrik Specifications

BACK

The back frame is constructed with 3/4" engineered paneling with the support system constructed of 11-gauge sinuous wire linked together with a 12-gauge tie wire. The back support system is covered with woven material and high-density polymeric foam. The outside back of the frame is covered with woven material and an additional piece of high-density polymeric foam. The back frame is secured to the base frame with patented metal brackets attached to the base frame with metal-to-metal connections.

BASE

The base frame is constructed of 3/4" engineered paneling with support system constructed of 8-gauge sinuous wire linked together with 12-gauge tie wire. Patented metal brackets are attached with bolts into steel receivers creating a metal-to-metal connection. Legs are attached with steel bolts. Legs use plastic non-marking glides.

SEAT

Seat cushions are constructed of high-density, polymeric foam.

ARM

Arm frames are constructed of 3/4" engineered paneling. The frames are covered utilizing 80-point chipboard and high-density polymeric foam. The frames are secured to the base frame with patented metal brackets attached to the base frame with metal-to-metal connections.

UPHOLSTERY

All upholstery offerings conform to California Technical Bulletin 117 fire code standard. All estimated yardage quotes are based on 54" non-matched, solid color material unless otherwise specified. Additional yardage and matching fees may apply.

MOISTURE BARRIER

Foam is wrapped with laminated, polyurethane, moisture-barrier.

ASSEMBLY AND DISASSEMBLY

All components can be disassembled and removed by loosening the thumbscrew and sliding the components out of the interlocking state. Assembly can be completed within minutes. Upholstery fastens with hook and loop, facilitating removal and replacement of covers.

WARRANTY

Transformations warrants all products against defects in materials and workmanship, and against structural damage incurred through normal use, for the specified warranty period (see product warranty chart). Some exclusions apply; see warranty document for details. The warranty is valid from the date of purchase to the original purchaser.

upgrade options

SECURITY STRAPS
CUSTOM EMBROIDERED LOGOS
CAL 133

foot options

Your choice of foot options may change the Arm Height, Back Height, and Seat Height dimensions.



TF10



PG40



SF09



*TC23

*TC24

*TC25

*TC26

TC24 & TC26 are Lockable Casters

TC23 & TC24 used on pieces with arms;
TC25 & TC26 used on pieces without arms

**Adding Casters to this product is an upgrade. They are available for front only.*



GANGING
BRACKET 1

v070426

